

**SUPPLEMENTAL
Notice of Allowability**

Application No.

10/014,792

Examiner

DUC Q DINH

Applicant(s)

OH, CHOON YUL

Art Unit

2674

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to TELEPHONEIC INTERVIEW ON 10/21/04/.
2. ☒ The allowed claim(s) is/are 1-8,10-12 AND RENUMBERED AS 1-11.
3. ☒ The drawings filed on 14 December 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Thomas Jones on October 21, 2004.

The application has been amended as follows:

Claim 7 amended as follows.

7. (CURRENTLY AMENDED) An organic EL display control system, comprising:
a display panel including a segment terminal and a common terminal, the segment terminal connected to data lines, the common terminal connected to scan lines arranged in a perpendicular direction to the data lines; and
a driver controller having a display RAM storing data and outputting the data from the display RAM in the same direction as a longitudinal direction of the scan lines; and
wherein the data is vertically written on and vertically read from the display RAM; and
wherein a line length between the common terminal and the driver controller is shorter than that between the segment terminal and the driver controller.

Allowable Subject Matter

3. Claims 1-8 and 10-12 are allowed and renumbered as 1-11.

REASON FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance:

The present invention related to an organic EL display control system that that can properly display data without changing the software or adding hardware, while improving a driving voltage and power consumption. The closest Prior Art of Applicant Admitted Prior Art (AAPA) shows a similar system to control the displaying data written in and read out of the memory RAM for displaying data to the display panel. However, the AAPA fails to disclose "a driver controller having a display RAM storing data, wherein the data is vertically written on and vertically read from the display RAM, and the read data is transmitted to the display panel". This distinct feature has been added to independent claims and renders them allowable.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DUC Q DINH** whose telephone number is **(703) 306-5412**. The examiner can normally be reached on Mon-Fri from 8:00.AM-4:00.PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **RICHARD A HJERPE** can be reached on **(703) 305-4709**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:


(703) 872-9306 (for Technology Center 2600 only)

Hand-delivery response should be brought to: Crystal Park II, 2121 Crystal Drive,
Arlington, Va Sixth Floor (Receptionist)

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 305-4700.

DUC Q DINH
Examiner
Art Unit 2674

DQD
October 21, 2004


REGINA LIANG
PRIMARY EXAMINER